

Amendments to the claims:

1. (original) Isolated nucleic acid comprising DNA encoding DNA19355 polypeptide comprising amino acid residues x to 177 of Fig. 1 (SEQ ID NO:1), wherein x is any one of amino acid residues 48 to 47 of Fig. 1 (SEQ ID NO:1).

Claims 2-26 (canceled)

27. (new) An isolated nucleic acid molecule, comprising a polynucleotide having a nucleotide sequence at least 95% identical to a sequence selected from the group consisting of: (a) a nucleotide sequence encoding a polypeptide comprising amino acids from about 52 to about 177 in SEQ ID NO:1; (b) a nucleotide sequence encoding a polypeptide comprising amino acids from about 53 to about 177 in SEQ ID NO:1; (c) a nucleotide sequence encoding a polypeptide having the amino acid sequence encoded by the cDNA clone contained in ATCC Deposit No. 209466; and (d) a nucleotide sequence complementary to any of the nucleotide sequences in (a), (b), or (c).

28. (new) An isolated nucleic acid molecule, comprising a polynucleotide which encodes the amino acid sequence of an epitope-bearing portion of a DNA19355 polypeptide having an amino acid sequence in (a), (b), (c), or (d) of claim 27.

29. (new) A method for making a recombinant vector, comprising inserting an isolated nucleic acid molecule of claim 27 into a vector.

30. (new) A recombinant vector produced by the method of claim 29.

31. (new) A method of making a recombinant host cell, comprising introducing the recombinant vector of claim 30 into a host cell.

32. (new) A recombinant host cell produced by the method of claim

31.

33. (new) A recombinant method for producing a DNA19355 polypeptide, comprising culturing the recombinant host cell of claim 32 under conditions such that said polypeptide is expressed and recovering said polypeptide.

34. (new) An isolated DNA19355 polypeptide having an amino acid sequence at least 95% identical to a sequence selected from the group consisting of: (a) amino acids from about 1 to about 177 in SEQ ID NO:1; (b) amino acids from about 2 to about 177 in SEQ ID NO:1; (c) the amino acid sequence of the DNA19355 polypeptide having the amino acid sequence encoded by the cDNA clone contained in ATCC Deposit No. 209466; and (d) the amino acid sequence of an epitope-bearing portion of any one of the polypeptides of (a), (b), or (c).

35. (new) An isolated polypeptide of claim 34, which is produced or contained in a recombinant host cell.

36. (new) An isolated polypeptide of claim 35, wherein said recombinant host cell is mammalian.

37. (new) An isolated antibody or antibody fragment that binds specifically to a DNA19355 polypeptide of claim 34.

38. (new) A method of treating an individual having a disorder selected from the group consisting of: a tumor, chronic inflammation, acute inflammation, acute allograft rejection, graft versus host disease, transplant rejection, ALL, Hodgkins disease, non-Hodgkins lymphoma, chronic lymphocyte leukemia, multiple myeloma, Burkitt's lymphoma, chronic myelogenous leukemia, wherein said method comprises administering to the individual a therapeutically effective amount of a DNA19355 polypeptide selected from the group consisting of: (a) the polypeptide of

claim 27; and (b) the polypeptide of claim 34.